



Anping Yixun Wire Mesh Co.,LTD

Hesco Barrier gabion Specialist

Hesco Barrier



Description

The HESCO barrier come in a variety of sizes. Most of the hesco can also be stacked, it is made of a collapsible wire mesh container and heavy duty fabric liner, and used as a temporary to semi-permanent dike or barrier against blast or small-arms.

Hesco Barrier Features

- ❖ Having a Galvan coated steel mesh framework, Zinc-Aluminum coatings are to BS-EN10244 2-2009 .
- ❖ Integrated cells to provide internal structural integrity.
- ❖ Exceptional strength and structural integrity
- ❖ High tensile and anti-impact capability
- ❖ Making transportation efficient and rapid

Hesco Barrier Application

Perimeter security and defending walls
Equipment revetments
explosive and contraband search areas
Ammunition compounds
Personnel and material bunkers
Observation points
Defensive firing positions
Highway checkpoints
Border crossing checkpoints
Protection existing structures
High way traffic management
Flood control
Water courses
Emergency flood deployment

Company:Anping Yixun Wire Mesh Co.,Ltd.

Address:Northside of Zhengrao road, Anping County, Hebei province, China

Website:<http://www.chinawiremesh.biz> Email sales3@chinawiremesh.biz TEL: 86-318-7530111 whatsapp+8613833809386















Anping Yixun Wire Mesh Co.,LTD

Hesco Barrier gabion Specialist

Specifications

Welded Gabion Specification

Model	Height	Width	Length
MIL1 5442 R	54" (1.37M)	42" (1.06M)	32'9" (10M)
MIL2 2424 R	24" (0.61M)	24" (0.61M)	4' (1.22M)
MIL3 3939 R	39" (1.00M)	39" (1.00M)	32'9" (10M)
MIL4 3960 R	39" (1.00M)	60" (1.52M)	32'9" (10M)
MIL5 2424 R	24" (0.61M)	24" (0.61M)	10' (3.05M)
MIL6 6624 R	66" (1.68M)	24" (0.61M)	10' (3.05M)
MIL7 8784 R	87" (2.21M)	84" (2.13M)	91' (27.74M)
MIL8 5448 R	54" (1.37M)	48" (1.22M)	32'9" (10M)
MIL9 3930 R	39" (1.00M)	30" (0.76M)	30' (9.14M)
MIL10 8760 R	87" (2.21M)	60" (1.52M)	100' (32.50M)
MIL11 4812 R	48" (1.22M)	12" (0.30M)	4' (1.22M)
MIL12 8442 R	84" (2.13M)	42" (1.06M)	108' (33M)



Company: Anping Yixun Wire Mesh Co., Ltd.

Address: Northside of Zhengrao road, Anping County, Hebei province, China

Website: <http://www.chinawiremesh.biz> Email sales3@chinawiremesh.biz TEL: 86-318-7530111 whatsapp+8613833809386



Anping Yixun Wire Mesh Co.,LTD Hesco Barrier gabion Specialist

Materail

Hesco Barrier Wire diameter: 4mm - 5mm,all wires confirm to BS EN 10218-2-2012

Military Barrier Mesh Size: 76.2mm x 76.2mm, 100mm x 100mm

Military Barrier Panel size: 2.21m x2.13m, 1.37m x1.06m, 0.61m x0.61m, it also can be customized according to customers' requirement

Geotextile: in heavy duty non-woven polypropylene

Finish: hot dipped galvanized, zinc-aluminum alloy coated after welded

Packing: wrapped with shrink film or packed in pallet.

Steel grade can be chose.

Trade Item

Delivery Terms:FOB, CIF,DDP


Payment Currency:USD, EUR, CNY

Payment Item:T/T, L/C,

Nearest Port:Xingang port,Qingdao port

Delivery Time:General after 25days upon received T/T30% advance payment

Popular Payment detail: T/T 30% in advance as deposit, the balance against received the copy of B/L.



Company:Anping Yixun Wire Mesh Co.,Ltd.

Address:Northside of Zhengrao road, Anping County,Hebei province,China

Website:<http://www.chinawiremesh.biz> Email sales3@chinawiremesh.biz TEL: 86-318-7530111 whatsapp+8613833809386